VACCINATIONS IN REFUGEE CHILDREN: NEW YORK STATE AND NEW YORK CITY RECOMMENDATIONS AND GUIDELINES

Introduction

In 2009, 4,720 refugees arrived in New York States), exclusive of New Work City, including 1,980 aged 18 years and under. Refugees come from diverse regions of the wording mount them varying histories of immunizations received in their countriof origin. The purpose of this document is to describe the evaluation and updating of immunication newly arrived refugee children in NYS.

Definitions (Reference: United States Citizenship and Immigration Serviwww.uscis.go) This document is specific to refugees and others with sistilatus. For the purpose of this document, all eligible persons will hereafter be referred to as "refugees" uslessial circumstances applImmigrants and non-immigrants arenot included in these designations.

General Overview of Vaccination Requirements for Refugees
Refugees, unlike nso other immigrant populations, cannot required to have any vaccinations before arrival in the U.S. In addition, many vaccines have limited or no availability in some developing countries or in specific refugee settings. The reformation refugees, including adults, will not have completed the ACIP-recommended vaccinations they first arrive in the U.S.

Since 1996, an person, including a refugee, who seeks an immigrant visa or adjustment of status for permanent residence in the U.S., is required towsproof of having received all vaccinations of childhood as recommended by the Centers for as Control and Prevention (CDC) Advisory Committee on Immunization Practices (ACIP).

To allow time for immunization assessment, and its immunization administration, vaccination requirements do not apply to refugees at the time initial arrival to the U.S. During the medical screening visit for new arrivals, a healthcare provider should review any written vaccination records presented by (o. refuge, n assg86 0, er s EMiDirst arrive in the U.S.)]sg8-33sit or tim2dyC0rae i1meder, Tc 0.0t0

As of 2009,human papillomavirus vaccine and zoster vaccine are no longer required.

Further information and updates on the required vaccines are available at: http://www.cdc.gov/immigrantrefugeehealth/exams/ti/civil/vaccination-civil-technical-instructions.html

Procedure for Vaccination Assessment Status

- 1. Determine the age of each applicant
- 2. Review each applicant's medical history and records
- 3. Determine the vaccinesach applicant needs
- 4. Assess contraindications and precautions
- 5. Assess each applicastaboratory needs

Vaccination Documentation

Acceptable vaccination documentation must come from a vaccination record, either a personal vaccination record or a copy of a medical chart withries made by a physician or other appropriate medical personnel. Only those records of dosesactines that include the dates of receipt (including month, year, and preferably, day) are acceptable of the dates of vaccines without written documentation are not acceptable.

Since most vaccines used worldwide are from rediableal or international manufacturers, it is reasonable to assume that any vaccine received by paircant was of adequate potency. However, the vaccination schedules should be consistent with those recommended by ACIP.

When attempting to verify the immunization status obefugee under the age of 19 years, the New York State Immunization Information System (NYSIIS)thore NYC Citywide Immunization Registry (CIR), should be utilized. NYSIIS and CIR aweb-based immunization restricts, that maintain computerized immunization data of persons of ages (but is expected at minimum to contain information about those under 19 years of aigga) confidential and secure manner. Upon administering immunizations, providers must complete refugee vaccination recording by entering this information into NYSIIS or CIR for the age of 19 years; this data entry will facilitate future care and sees sesment of immunization status.

Patients with Incomplete/Nonexistent Vaccine History

If questions exist about whether vaccines have been administered to a refugee child in the past, multiple approaches are possible:

- Assume the patient is unvaccinated and repeatgheappropriate vaccinations. Doing so is safe and avoids the need to obtain and interpret serologic tests.
- Count only vaccinations that are well documen(text including month, year, and preferably, day of vaccination).
- If patient has started a series but not cottepliet, continue where he/she left off.
- Judicious use of serologic testing can help trembeine which vaccinations are needed but is only acceptable for the following diseases:
 - o Measles, mumps, rubella, hepatitish e, patitis B, polio, and varicella.

While serologic testing may provide luable information and may decrease the number of required revaccination doses, testing is expressime consuming, and difficute interpret. In general, revaccination of any questionable dose is the most pragmatic option and assures the highest coverage for vaccine-preventable diseases.

NYS SCHOOL ENTRANCE VACCINATION REQUIREMENTS

APPENDIX A

DEFINTIONS:

A refugee isany person who is outside the country of such person's nationality or, in the case of a person having no nationality, is outside any couintry hich such person last habitually resided, and who is unable or unwilling treturn to, and is unable or unwilling to avail himself or herself of the protection of that country because of persecution or a well-founded fear of persecution on

The following additional definitions are included to provide context.

An adjustment of statusis a procedure allowing certain alieals eady in the U.S. to apply for legal permanent resident status ("Green Card").